

Thermoelectric cooling unit TG 6805303



Product Features

Brand Name:	SoliTherm Peltier
Order Number:	6805303
Housing Material:	Stainless steel AISI 304 (V2A)
IP class EN 60529:	IP 66 NEMA 4X
Optional:	Stainless Steel 316 with Chromated heatsinks, P/N: 68053034
Approvals:	CE, RoHS
Accessories:	Condensate Kit
Taric Code:	84158300


Technical data TG 6805303

Cooling capacity L35L35:	800 W
Temperature range:	-20°C- +65°C
Air volume flow:	Ambient air circuit: 480 m ³ /h Cabinet air circuit: 480 m ³ /h
Mounting:	Recessed
Dimension HxWxD:	972 x 514 x 140 (70.5) mm
Weight:	66 kg
Voltage / Frequency:	120 - 230 V ~ 50/60 Hz
Current L35L35:	8.2 A @ 120 V 4.3 A @ 230 V
Nominal power L35L35:	979 W
Fuse:	15 A (T) @ 120 V 7 A (T) @ 230 V
Connection:	8-Pole Connector

Please click on the graphics to download.
More CAD drawings can be found under [Product Download](#).
> [Overview product group Cabinet cooling units - Peltier](#)


Performance Graph:

T = Ambient temperature
P = Cooling capacity



[click image to enlarge](#)

Cut out dimensions:



[click image to enlarge](#)